

**SILVER COIN PROJECT - 2011 ASSAY RESULTS**

| HOLE ID          | FROM                          | TO       | INTERCEPT | Au    | FROM   | TO     | INTERCEPT | Au       |
|------------------|-------------------------------|----------|-----------|-------|--------|--------|-----------|----------|
|                  | (metres)                      | (metres) | (metres)  | (g/t) | (feet) | (feet) | (feet)    | (oz/ton) |
| <b>SC11-328</b>  | 41.2                          | 57.7     | 16.5      | 1.57  | 135.1  | 189.3  | 54.1      | 0.046    |
| <i>including</i> | 43.0                          | 43.6     | 0.6       | 10.80 | 141.0  | 143.0  | 2.0       | 0.315    |
| <i>including</i> | 54.4                          | 55.9     | 1.5       | 7.37  | 178.4  | 183.4  | 4.9       | 0.215    |
| <b>SC11-329</b>  | <i>No significant results</i> |          |           |       |        |        |           |          |
| <b>SC11-330</b>  | <i>No significant results</i> |          |           |       |        |        |           |          |
| <b>SC11-331</b>  | <i>No significant results</i> |          |           |       |        |        |           |          |
| <b>SC11-332</b>  | 56.7                          | 60.2     | 3.5       | 0.50  | 186.0  | 197.5  | 11.5      | 0.015    |
| <b>SC11-333</b>  | 81.0                          | 83.0     | 2.0       | 1.10  | 265.7  | 272.2  | 6.6       | 0.032    |
|                  | 289.2                         | 294.0    | 4.8       | 0.48  | 948.6  | 964.3  | 15.7      | 0.014    |
| <b>SC11-334</b>  | 1.5                           | 5.0      | 3.5       | 0.59  | 4.9    | 16.4   | 11.5      | 0.017    |
| <i>including</i> | 8.2                           | 35.9     | 27.7      | 1.33  | 26.9   | 117.8  | 90.9      | 0.039    |
|                  | 34.2                          | 35.9     | 1.7       | 6.65  | 112.2  | 117.8  | 5.6       | 0.194    |
|                  | 56.5                          | 58.0     | 1.5       | 0.86  | 185.3  | 190.2  | 4.9       | 0.025    |
|                  | 66.6                          | 70.5     | 3.9       | 0.54  | 218.4  | 231.2  | 12.8      | 0.016    |
| <b>SC11-335</b>  | 86.0                          | 90.0     | 4.0       | 0.88  | 282.1  | 295.2  | 13.1      | 0.026    |
|                  | 104.0                         | 112.5    | 8.5       | 0.56  | 341.1  | 369.0  | 27.9      | 0.016    |
|                  | 128.7                         | 134.5    | 5.8       | 0.41  | 422.1  | 441.2  | 19.0      | 0.012    |
|                  | 138.4                         | 146.5    | 8.1       | 0.83  | 454.0  | 480.5  | 26.6      | 0.024    |
| <b>SC11-336</b>  | 25.5                          | 30.0     | 4.5       | 1.27  | 83.6   | 98.4   | 14.8      | 0.037    |
|                  | 51.0                          | 52.8     | 1.8       | 1.37  | 167.3  | 173.2  | 5.9       | 0.040    |
| <b>SC11-337</b>  | 5.5                           | 12.0     | 6.5       | 1.25  | 18.0   | 39.4   | 21.3      | 0.037    |
|                  | 48.5                          | 51.5     | 3.0       | 1.07  | 159.1  | 168.9  | 9.8       | 0.031    |
|                  | 111.0                         | 118.3    | 7.3       | 0.62  | 364.1  | 387.9  | 23.8      | 0.018    |
| <b>SC11-338</b>  | 52.4                          | 54.3     | 1.9       | 0.32  | 171.9  | 178.1  | 6.2       | 0.009    |
|                  | 84.7                          | 87.9     | 3.2       | 2.10  | 277.8  | 288.3  | 10.5      | 0.061    |
|                  | 94.9                          | 96.9     | 2.0       | 1.00  | 311.3  | 317.8  | 6.6       | 0.029    |
|                  | 103.0                         | 111.0    | 8.0       | 1.23  | 337.8  | 364.1  | 26.2      | 0.036    |
|                  | 125.7                         | 128.4    | 2.7       | 0.34  | 412.3  | 421.2  | 8.9       | 0.010    |
|                  | 134.6                         | 138.3    | 3.7       | 1.41  | 441.5  | 453.6  | 12.1      | 0.041    |
|                  | 153.0                         | 171.0    | 18.0      | 1.00  | 501.8  | 560.9  | 59.0      | 0.029    |
|                  | 185.0                         | 188.4    | 3.4       | 0.47  | 606.8  | 618.0  | 11.2      | 0.014    |
|                  | 191.8                         | 197.6    | 5.8       | 1.15  | 629.1  | 648.1  | 19.0      | 0.034    |
|                  | 222.2                         | 225.4    | 3.2       | 1.01  | 728.8  | 739.3  | 10.5      | 0.029    |
| <b>SC11-339</b>  | 42.0                          | 48.0     | 6.0       | 1.76  | 137.8  | 157.4  | 19.7      | 0.051    |
|                  | 78.9                          | 82.0     | 3.1       | 0.70  | 258.8  | 269.0  | 10.2      | 0.020    |
|                  | 129.9                         | 131.0    | 1.1       | 1.60  | 426.1  | 429.7  | 3.6       | 0.047    |
|                  | 183.2                         | 189.0    | 5.8       | 0.50  | 600.9  | 619.9  | 19.0      | 0.015    |
| <b>SC11-340</b>  | 122.6                         | 127.6    | 5.0       | 1.24  | 402.1  | 418.5  | 16.4      | 0.036    |
|                  | 130.4                         | 133.5    | 3.1       | 0.33  | 427.7  | 437.9  | 10.2      | 0.010    |
|                  | 136.1                         | 151.0    | 14.9      | 0.73  | 446.4  | 495.3  | 48.9      | 0.021    |
|                  | 157.6                         | 168.0    | 10.4      | 2.69  | 516.9  | 551.0  | 34.1      | 0.079    |
| <i>including</i> | 161.7                         | 163.0    | 1.3       | 7.18  | 530.4  | 534.6  | 4.3       | 0.210    |
| <i>including</i> | 164.0                         | 165.4    | 1.4       | 5.49  | 537.9  | 542.5  | 4.6       | 0.160    |

| HOLE ID          | FROM               | TO       | INTERCEPT | Au    | FROM   | TO     | INTERCEPT | Au       |
|------------------|--------------------|----------|-----------|-------|--------|--------|-----------|----------|
|                  | (metres)           | (metres) | (metres)  | (g/t) | (feet) | (feet) | (feet)    | (oz/ton) |
| <b>SC11-340</b>  | 169.6              | 173.9    | 4.3       | 0.36  | 556.3  | 570.4  | 14.1      | 0.011    |
| <b>SC11-341</b>  | 37.2               | 42.0     | 4.8       | 0.60  | 122.0  | 137.8  | 15.7      | 0.018    |
| <i>including</i> | 89.6               | 106.0    | 16.4      | 2.67  | 293.9  | 347.7  | 53.8      | 0.078    |
|                  | 100.0              | 103.0    | 3.0       | 10.65 | 328.0  | 337.8  | 9.8       | 0.311    |
| <b>SC11-342</b>  | 33.2               | 36.0     | 2.8       | 0.91  | 108.9  | 118.1  | 9.2       | 0.027    |
| <b>SC11-343</b>  | 8.7                | 12.0     | 3.3       | 0.50  | 28.5   | 39.4   | 10.8      | 0.015    |
| <i>including</i> | 34.5               | 43.5     | 9.0       | 0.66  | 113.2  | 142.7  | 29.5      | 0.019    |
|                  | 46.2               | 54.0     | 7.8       | 3.30  | 151.5  | 177.1  | 25.6      | 0.096    |
|                  | 51.0               | 52.5     | 1.5       | 9.35  | 167.3  | 172.2  | 4.9       | 0.273    |
|                  | 73.9               | 83.7     | 9.8       | 0.69  | 242.4  | 274.5  | 32.1      | 0.020    |
|                  | 87.0               | 89.0     | 2.0       | 0.71  | 285.4  | 291.9  | 6.6       | 0.021    |
|                  | 227.5              | 229.4    | 1.9       | 1.12  | 746.2  | 752.4  | 6.2       | 0.033    |
| <b>SC11-344</b>  | <i>Not sampled</i> |          |           |       |        |        |           |          |
| <b>SC11-345</b>  | 60.0               | 61.2     | 1.2       | 0.30  | 196.85 | 200.79 | 3.94      | 0.009    |
| <i>including</i> | 66.1               | 68.7     | 2.6       | 3.60  | 216.86 | 225.39 | 8.53      | 0.105    |
|                  | 66.1               | 67.4     | 1.2       | 6.72  | 216.86 | 221.13 | 3.94      | 0.196    |
|                  | 74.4               | 76.0     | 1.6       | 0.56  | 244.09 | 249.34 | 5.25      | 0.016    |
| <b>SC11-346</b>  | 56.0               | 57.6     | 1.6       | 0.52  | 183.7  | 188.9  | 5.2       | 0.015    |
| <b>SC11-347</b>  | 86.1               | 89.2     | 3.1       | 0.58  | 282.4  | 292.6  | 10.2      | 0.017    |
|                  | 97.6               | 104.6    | 7.0       | 0.66  | 320.1  | 343.1  | 23.0      | 0.019    |
| <b>SC11-348</b>  | 67.6               | 69.5     | 1.9       | 3.45  | 221.7  | 228.0  | 6.2       | 0.101    |
| <b>SC11-349</b>  | 61.6               | 64.0     | 2.4       | 4.58  | 202.0  | 209.9  | 7.9       | 0.134    |
| <b>SC11-350</b>  | 57.2               | 59.9     | 2.7       | 0.51  | 187.6  | 196.4  | 8.8       | 0.015    |
|                  | 64.4               | 67.3     | 2.9       | 0.48  | 211.1  | 220.7  | 9.6       | 0.014    |
|                  | 79.2               | 85.8     | 6.6       | 1.57  | 259.8  | 281.3  | 21.5      | 0.046    |
|                  | 91.8               | 94.8     | 2.9       | 0.81  | 301.2  | 310.8  | 9.6       | 0.024    |
|                  | 99.2               | 104.3    | 5.1       | 4.23  | 325.4  | 342.1  | 16.7      | 0.124    |
|                  | 107.0              | 121.9    | 14.9      | 0.66  | 351.0  | 399.8  | 48.8      | 0.019    |
| <b>SC11-351</b>  | 22.4               | 25.0     | 2.6       | 0.62  | 73.5   | 82.0   | 8.5       | 0.018    |
|                  | 58.0               | 62.5     | 4.5       | 0.49  | 190.2  | 205.0  | 14.8      | 0.014    |
|                  | 84.5               | 91.6     | 7.1       | 0.75  | 277.2  | 300.4  | 23.3      | 0.022    |
| <i>including</i> | 93.5               | 150.2    | 56.7      | 1.48  | 306.7  | 492.7  | 186.0     | 0.043    |
|                  | 116.5              | 117.7    | 1.2       | 4.86  | 382.1  | 386.1  | 3.9       | 0.142    |
|                  | 151.8              | 155.0    | 3.2       | 0.46  | 497.9  | 508.4  | 10.5      | 0.013    |
|                  | 159.0              | 174.0    | 15.0      | 0.93  | 521.5  | 570.7  | 49.2      | 0.027    |
|                  | 179.0              | 181.0    | 2.0       | 5.65  | 587.1  | 593.7  | 6.6       | 0.165    |
| <i>including</i> | 189.7              | 202.7    | 13.0      | 3.90  | 622.2  | 664.9  | 42.6      | 0.114    |
|                  | 200.8              | 201.3    | 0.5       | 43.80 | 658.6  | 660.3  | 1.6       | 1.279    |
|                  | 206.0              | 209.6    | 3.6       | 0.54  | 675.7  | 687.5  | 11.8      | 0.016    |
| <b>SC11-352</b>  | <i>Not sampled</i> |          |           |       |        |        |           |          |
| <b>SC11-353</b>  | 54.5               | 61.0     | 6.5       | 0.74  | 178.8  | 200.1  | 21.3      | 0.022    |
|                  | 64.0               | 67.0     | 3.0       | 0.42  | 209.9  | 219.8  | 9.8       | 0.012    |
|                  | 171.1              | 174.1    | 3.0       | 18.70 | 561.2  | 571.0  | 9.8       | 0.546    |
| <b>SC11-354</b>  | 49.4               | 55.2     | 5.8       | 0.86  | 162.0  | 181.1  | 19.0      | 0.025    |
|                  | 56.2               | 72.0     | 15.8      | 0.40  | 184.3  | 236.2  | 51.8      | 0.012    |

| HOLE ID         | FROM                   | TO           | INTERCEPT<br>LENGTH | Au           | FROM         | TO           | INTERCEPT<br>LENGTH | Au           |
|-----------------|------------------------|--------------|---------------------|--------------|--------------|--------------|---------------------|--------------|
|                 | (metres)               | (metres)     | (metres)            | (g/t)        | (feet)       | (feet)       | (feet)              | (oz/ton)     |
| <b>SC11-354</b> | 113.4                  | 129.9        | 16.5                | 2.11         | 372.0        | 426.1        | 54.1                | 0.062        |
|                 | 137.3                  | 141.1        | 3.8                 | 0.55         | 450.3        | 462.8        | 12.5                | 0.016        |
|                 | 143.6                  | 152.4        | 8.8                 | 2.04         | 471.0        | 499.9        | 28.9                | 0.060        |
|                 | 160.6                  | 164.3        | 3.7                 | 1.54         | 526.8        | 538.9        | 12.1                | 0.045        |
|                 | 197.7                  | 203.8        | 6.1                 | 1.00         | 648.5        | 668.5        | 20.0                | 0.029        |
| <b>SC11-355</b> | 40.8                   | 43.4         | 2.6                 | 0.99         | 133.8        | 142.4        | 8.5                 | 0.029        |
|                 | 52.8                   | 60.1         | 7.3                 | 0.59         | 173.2        | 197.1        | 23.9                | 0.017        |
|                 | 66.0                   | 67.5         | 1.5                 | 6.50         | 216.5        | 221.4        | 4.9                 | 0.190        |
|                 | 81.5                   | 84.5         | 3.0                 | 2.12         | 267.3        | 277.2        | 9.8                 | 0.062        |
|                 | 88.1                   | 95.5         | 7.4                 | 0.69         | 289.0        | 313.2        | 24.3                | 0.020        |
|                 | 187.0                  | 192.8        | 5.8                 | 1.55         | 613.4        | 632.4        | 19.0                | 0.045        |
| <b>SC11-356</b> | 38.2                   | 41.0         | 2.8                 | 0.33         | 125.3        | 134.5        | 9.2                 | 0.010        |
|                 | 84.9                   | 88.6         | 3.7                 | 0.49         | 278.5        | 290.6        | 12.1                | 0.014        |
|                 | 110.9                  | 118.7        | 7.8                 | 0.55         | 363.8        | 389.3        | 25.6                | 0.016        |
|                 | 122.9                  | 127.1        | 4.2                 | 0.70         | 403.1        | 416.9        | 13.8                | 0.020        |
|                 | 127.9                  | 134.7        | 6.8                 | 0.61         | 419.5        | 441.8        | 22.3                | 0.018        |
|                 | 136.3                  | 148.4        | 12.1                | 1.19         | 447.1        | 486.8        | 39.7                | 0.035        |
|                 | 153.2                  | 160.0        | 6.8                 | 2.29         | 502.5        | 524.8        | 22.3                | 0.067        |
|                 | <i>including</i> 157.6 | <i>159.1</i> | <i>1.5</i>          | <i>5.67</i>  | <i>516.9</i> | <i>521.8</i> | <i>4.9</i>          | <i>0.166</i> |
|                 | 168.0                  | 177.2        | 9.2                 | 0.93         | 551.0        | 581.2        | 30.2                | 0.027        |
|                 | 185.9                  | 192.3        | 6.4                 | 3.70         | 609.8        | 630.7        | 21.0                | 0.108        |
|                 | <i>including</i> 185.9 | <i>187.5</i> | <i>1.6</i>          | <i>12.76</i> | <i>609.8</i> | <i>615.0</i> | <i>5.2</i>          | <i>0.373</i> |
|                 | 200.3                  | 202.6        | 2.3                 | 0.53         | 657.0        | 664.5        | 7.5                 | 0.015        |
|                 | 204.0                  | 206.4        | 2.4                 | 0.95         | 669.1        | 677.0        | 7.9                 | 0.028        |
| 208.0           | 210.0                  | 2.0          | 1.14                | 682.2        | 688.8        | 6.6          | 0.033               |              |
| <b>SC11-357</b> | 33.5                   | 36.7         | 3.2                 | 0.79         | 109.9        | 120.4        | 10.5                | 0.023        |
|                 | 91.5                   | 94.5         | 3.0                 | 24.96        | 300.1        | 310.0        | 9.8                 | 0.729        |
|                 | <i>including</i> 93.0  | <i>94.5</i>  | <i>1.5</i>          | <i>48.30</i> | <i>305.0</i> | <i>310.0</i> | <i>4.9</i>          | <i>1.410</i> |
|                 | 102.5                  | 104.0        | 1.5                 | 9.48         | 336.2        | 341.1        | 4.9                 | 0.277        |
|                 | 109.2                  | 115.0        | 5.8                 | 1.19         | 358.2        | 377.2        | 19.0                | 0.035        |
|                 | 116.4                  | 117.8        | 1.4                 | 0.78         | 381.8        | 386.4        | 4.6                 | 0.023        |
|                 | 159.6                  | 167.6        | 8.0                 | 0.41         | 523.5        | 549.7        | 26.2                | 0.012        |
|                 | 171.4                  | 181.3        | 9.9                 | 0.50         | 562.2        | 594.7        | 32.5                | 0.015        |
|                 | 184.0                  | 200.6        | 16.6                | 3.25         | 603.5        | 658.0        | 54.4                | 0.095        |
|                 | <i>including</i> 187.0 | <i>188.5</i> | <i>1.5</i>          | <i>16.20</i> | <i>613.4</i> | <i>618.3</i> | <i>4.9</i>          | <i>0.473</i> |
|                 | <i>including</i> 190.0 | <i>191.5</i> | <i>1.5</i>          | <i>6.62</i>  | <i>623.2</i> | <i>628.1</i> | <i>4.9</i>          | <i>0.193</i> |
|                 | 204.4                  | 208.9        | 4.5                 | 2.13         | 670.4        | 685.2        | 14.8                | 0.062        |
| 279.7           | 284.6                  | 4.9          | 0.55                | 917.4        | 933.5        | 16.1         | 0.016               |              |
| <b>SC11-358</b> | 28.0                   | 33.5         | 5.5                 | 1.33         | 91.8         | 109.9        | 18.0                | 0.039        |
|                 | 35.4                   | 38.0         | 2.6                 | 0.39         | 116.1        | 124.6        | 8.5                 | 0.011        |
|                 | 46.1                   | 48.0         | 1.9                 | 0.35         | 151.2        | 157.4        | 6.2                 | 0.010        |
|                 | 79.5                   | 87.0         | 7.5                 | 1.51         | 260.8        | 285.4        | 24.6                | 0.044        |
|                 | 91.5                   | 117.0        | 25.5                | 1.85         | 300.1        | 383.8        | 83.6                | 0.054        |
|                 | <i>including</i> 100.0 | <i>108.4</i> | <i>8.4</i>          | <i>3.78</i>  | <i>328.0</i> | <i>355.6</i> | <i>27.6</i>         | <i>0.110</i> |
|                 | 119.9                  | 129.6        | 9.7                 | 0.73         | 393.3        | 425.1        | 31.8                | 0.021        |
|                 | 133.0                  | 161.4        | 28.4                | 1.25         | 436.2        | 529.4        | 93.2                | 0.037        |

| HOLE ID            | FROM     | TO       | INTERCEPT<br>LENGTH | Au    | FROM   | TO     | INTERCEPT<br>LENGTH | Au       |
|--------------------|----------|----------|---------------------|-------|--------|--------|---------------------|----------|
|                    | (metres) | (metres) | (metres)            | (g/t) | (feet) | (feet) | (feet)              | (oz/ton) |
| <i>including</i>   | 154.0    | 155.4    | 1.4                 | 3.75  | 505.1  | 509.7  | 4.6                 | 0.110    |
| <b>SC11-358EXT</b> | 125.8    | 129.2    | 3.4                 | 1.07  | 412.6  | 423.8  | 11.2                | 0.031    |
|                    | 133.0    | 162.9    | 29.9                | 1.16  | 436.2  | 534.3  | 98.1                | 0.034    |
| <i>including</i>   | 158.0    | 159.6    | 1.6                 | 4.32  | 518.2  | 523.5  | 5.2                 | 0.126    |
| <b>SC11-359</b>    | 22.5     | 35.4     | 12.9                | 0.81  | 73.8   | 116.1  | 42.3                | 0.024    |
|                    | 39.0     | 47.5     | 8.5                 | 0.59  | 127.9  | 155.8  | 27.9                | 0.017    |
|                    | 48.6     | 51.2     | 2.6                 | 3.47  | 159.4  | 167.9  | 8.5                 | 0.101    |
|                    | 53.6     | 57.0     | 3.4                 | 0.54  | 175.8  | 187.0  | 11.2                | 0.016    |
|                    | 58.5     | 66.7     | 8.2                 | 0.75  | 191.9  | 218.8  | 26.9                | 0.022    |
|                    | 70.1     | 81.0     | 10.9                | 0.95  | 229.9  | 265.7  | 35.8                | 0.028    |
|                    | 84.0     | 89.2     | 5.2                 | 0.63  | 275.5  | 292.6  | 17.1                | 0.018    |
|                    | 103.7    | 111.7    | 8.0                 | 0.36  | 340.1  | 366.4  | 26.2                | 0.011    |
|                    | 112.7    | 122.0    | 9.3                 | 2.60  | 369.7  | 400.2  | 30.5                | 0.076    |
| <i>including</i>   | 121.0    | 122.0    | 1.0                 | 10.60 | 396.9  | 400.2  | 3.3                 | 0.310    |
| <b>SC11-360</b>    | 14.2     | 24.3     | 10.1                | 2.15  | 46.6   | 79.7   | 33.1                | 0.063    |
| <i>including</i>   | 19.0     | 20.4     | 1.4                 | 7.00  | 62.3   | 66.9   | 4.6                 | 0.204    |
|                    | 25.9     | 31.3     | 5.4                 | 0.46  | 85.0   | 102.7  | 17.7                | 0.013    |
|                    | 43.9     | 46.7     | 2.8                 | 0.39  | 144.0  | 153.2  | 9.2                 | 0.011    |
|                    | 62.5     | 67.0     | 4.5                 | 0.65  | 205.0  | 219.8  | 14.8                | 0.019    |
|                    | 69.5     | 74.7     | 5.2                 | 0.38  | 228.0  | 245.0  | 17.1                | 0.011    |
|                    | 92.5     | 97.0     | 4.5                 | 1.72  | 303.4  | 318.2  | 14.8                | 0.050    |
| <b>SC11-361</b>    | 58.0     | 66.0     | 8.0                 | 25.24 | 190.2  | 216.5  | 26.2                | 0.737    |
| <i>including</i>   | 58.0     | 60.0     | 2.0                 | 99.99 | 190.2  | 196.8  | 6.6                 | 2.920    |
|                    | 81.0     | 84.0     | 3.0                 | 0.37  | 265.7  | 275.5  | 9.8                 | 0.011    |
|                    | 85.3     | 88.7     | 3.4                 | 1.02  | 279.8  | 290.9  | 11.2                | 0.030    |
|                    | 92.0     | 100.8    | 8.8                 | 1.38  | 301.8  | 330.6  | 28.9                | 0.040    |
| <i>including</i>   | 92.9     | 94.8     | 1.9                 | 4.12  | 304.7  | 310.9  | 6.2                 | 0.120    |
|                    | 103.0    | 107.5    | 4.5                 | 0.61  | 337.8  | 352.6  | 14.8                | 0.018    |
| <b>SC11-362</b>    | 99.2     | 102.5    | 3.3                 | 0.86  | 325.4  | 336.2  | 10.8                | 0.025    |
|                    | 109.5    | 113.4    | 3.9                 | 1.66  | 359.2  | 372.0  | 12.8                | 0.048    |
| <i>including</i>   | 111.0    | 111.5    | 0.5                 | 5.64  | 364.1  | 365.8  | 1.7                 | 0.165    |
|                    | 135.0    | 142.2    | 7.2                 | 0.52  | 442.8  | 466.4  | 23.6                | 0.015    |
|                    | 146.0    | 157.6    | 11.6                | 2.50  | 478.9  | 516.9  | 38.0                | 0.073    |
| <i>including</i>   | 146.0    | 146.6    | 0.6                 | 16.30 | 478.9  | 480.8  | 2.0                 | 0.476    |
| <i>including</i>   | 157.0    | 157.6    | 0.7                 | 6.74  | 514.8  | 516.9  | 2.1                 | 0.197    |
|                    | 168.8    | 172.5    | 3.8                 | 1.36  | 553.5  | 565.9  | 12.4                | 0.040    |
|                    | 178.0    | 181.0    | 3.0                 | 0.98  | 583.8  | 593.7  | 9.8                 | 0.029    |
|                    | 186.8    | 191.9    | 5.0                 | 0.97  | 612.8  | 629.3  | 16.5                | 0.028    |
| <b>SC11-363</b>    | 128.0    | 155.0    | 27.0                | 5.79  | 419.8  | 508.4  | 88.6                | 0.169    |
| <i>including</i>   | 129.5    | 132.7    | 3.2                 | 12.48 | 424.8  | 435.3  | 10.5                | 0.364    |
| <i>including</i>   | 137.0    | 140.0    | 3.0                 | 22.23 | 449.4  | 459.2  | 9.8                 | 0.649    |
| <i>including</i>   | 147.0    | 148.5    | 1.5                 | 9.64  | 482.2  | 487.1  | 4.9                 | 0.281    |
|                    | 156.4    | 170.8    | 14.4                | 1.65  | 513.0  | 560.2  | 47.2                | 0.048    |
| <i>including</i>   | 160.9    | 161.9    | 1.0                 | 7.94  | 527.8  | 531.0  | 3.3                 | 0.232    |
|                    | 173.5    | 191.0    | 17.5                | 1.75  | 569.1  | 626.5  | 57.4                | 0.051    |
| <i>including</i>   | 180.0    | 181.5    | 1.5                 | 9.89  | 590.4  | 595.3  | 4.9                 | 0.289    |

| HOLE ID         | FROM                   | TO           | INTERCEPT  | Au          | FROM         | TO           | INTERCEPT  | Au           |
|-----------------|------------------------|--------------|------------|-------------|--------------|--------------|------------|--------------|
|                 | (metres)               | (metres)     | (metres)   | (g/t)       | (feet)       | (feet)       | (feet)     | (oz/ton)     |
| <b>SC11-364</b> | 66.0                   | 68.5         | 2.5        | 0.48        | 216.5        | 224.7        | 8.2        | 0.014        |
|                 | 103.6                  | 106.0        | 2.4        | 1.01        | 339.9        | 347.7        | 7.7        | 0.029        |
|                 | 108.2                  | 111.5        | 3.3        | 0.42        | 354.8        | 365.7        | 11.0       | 0.012        |
|                 | 126.3                  | 129.6        | 3.3        | 3.44        | 414.4        | 425.2        | 10.8       | 0.100        |
|                 | <i>including</i> 127.1 | <i>128.5</i> | <i>1.4</i> | <i>7.57</i> | <i>417.0</i> | <i>421.5</i> | <i>4.5</i> | <i>0.221</i> |
| <b>SC11-365</b> | 89.5                   | 93.5         | 4.0        | 3.80        | 293.4        | 306.6        | 13.2       | 0.111        |
|                 | <i>including</i> 89.5  | <i>90.5</i>  | <i>1.1</i> | <i>8.22</i> | <i>293.4</i> | <i>296.9</i> | <i>3.5</i> | <i>0.240</i> |
|                 | 95.9                   | 100.4        | 4.5        | 0.77        | 314.5        | 329.2        | 14.8       | 0.022        |
|                 | 116.2                  | 125.5        | 9.4        | 1.66        | 381.0        | 411.7        | 30.7       | 0.048        |
|                 | <i>including</i> 124.6 | <i>125.5</i> | <i>1.0</i> | <i>5.12</i> | <i>408.6</i> | <i>411.7</i> | <i>3.1</i> | <i>0.150</i> |
| <b>SC11-366</b> | 135.0                  | 138.0        | 3.0        | 0.72        | 442.8        | 452.6        | 9.8        | 0.021        |
| <b>SC11-367</b> | 58.0                   | 74.0         | 16.0       | 1.51        | 190.2        | 242.7        | 52.5       | 0.044        |
|                 | 78.0                   | 80.7         | 2.7        | 0.56        | 255.8        | 264.6        | 8.7        | 0.016        |
|                 | 88.5                   | 97.5         | 9.0        | 1.00        | 290.3        | 319.8        | 29.5       | 0.029        |
|                 | 103.0                  | 107.4        | 4.4        | 0.84        | 337.8        | 352.1        | 14.3       | 0.025        |
|                 | 111.5                  | 115.0        | 3.5        | 0.62        | 365.7        | 377.2        | 11.5       | 0.018        |
|                 | 117.5                  | 120.5        | 3.0        | 0.39        | 385.4        | 395.2        | 9.8        | 0.011        |
|                 | 147.0                  | 149.7        | 2.7        | 0.42        | 482.2        | 490.9        | 8.8        | 0.012        |
|                 | 156.4                  | 159.5        | 3.1        | 0.38        | 512.8        | 523.1        | 10.2       | 0.011        |
|                 | 220.0                  | 222.6        | 2.6        | 0.58        | 721.6        | 730.0        | 8.4        | 0.017        |
|                 | 223.0                  | 226.5        | 3.5        | 2.29        | 731.5        | 742.9        | 11.4       | 0.067        |
| <b>SC11-368</b> | 128.5                  | 131.6        | 3.1        | 7.15        | 421.5        | 431.6        | 10.2       | 0.209        |
| <b>SC11-369</b> | 11.0                   | 13.5         | 2.5        | 0.38        | 36.1         | 44.3         | 8.2        | 0.011        |
| <b>SC11-370</b> | 41.5                   | 45.4         | 3.9        | 1.00        | 136.1        | 148.9        | 12.8       | 0.029        |
|                 | 75.6                   | 81.3         | 5.8        | 0.74        | 247.9        | 266.8        | 18.9       | 0.022        |
|                 | 101.0                  | 103.4        | 2.4        | 0.86        | 331.3        | 339.2        | 7.9        | 0.025        |
|                 | 148.0                  | 150.5        | 2.5        | 0.38        | 485.4        | 493.6        | 8.1        | 0.011        |
|                 | 161.5                  | 169.0        | 7.5        | 1.36        | 529.7        | 554.3        | 24.6       | 0.040        |
|                 | 171.8                  | 174.0        | 2.1        | 0.58        | 563.6        | 570.6        | 7.0        | 0.017        |
|                 | 198.1                  | 210.5        | 12.4       | 0.94        | 649.8        | 690.4        | 40.7       | 0.027        |
|                 | 236.0                  | 249.3        | 13.4       | 2.81        | 773.9        | 817.8        | 43.9       | 0.082        |
|                 | <i>including</i> 239.4 | <i>242.0</i> | <i>2.6</i> | <i>6.07</i> | <i>785.2</i> | <i>793.8</i> | <i>8.5</i> | <i>0.177</i> |
| <b>SC11-371</b> | 2.1                    | 4.5          | 2.4        | 1.03        | 6.89         | 14.76        | 7.87       | 0.030        |
|                 | 12.5                   | 15.5         | 3.0        | 0.67        | 41.01        | 50.85        | 9.84       | 0.019        |
|                 | 17.6                   | 18.9         | 1.2        | 0.68        | 57.74        | 62.01        | 3.94       | 0.020        |
|                 | 110.0                  | 115.5        | 5.5        | 0.60        | 360.89       | 378.94       | 18.04      | 0.018        |
| <b>SC11-372</b> | 36.0                   | 41.5         | 5.5        | 0.57        | 118.1        | 136.1        | 18.0       | 0.017        |
|                 | 43.4                   | 47.0         | 3.6        | 1.43        | 142.4        | 154.2        | 11.8       | 0.042        |
|                 | 53.7                   | 58.7         | 5.0        | 0.42        | 176.1        | 192.5        | 16.4       | 0.012        |
|                 | 102.5                  | 111.5        | 9.0        | 0.82        | 336.2        | 365.7        | 29.5       | 0.024        |
| <b>SC11-373</b> | 80.5                   | 90.0         | 9.5        | 0.40        | 264.0        | 295.2        | 31.2       | 0.012        |
|                 | 100.0                  | 118.3        | 18.3       | 0.82        | 328.0        | 388.0        | 60.0       | 0.024        |
|                 | 119.6                  | 123.8        | 4.2        | 0.41        | 392.3        | 406.1        | 13.8       | 0.012        |
|                 | 141.5                  | 144.6        | 3.1        | 0.87        | 464.1        | 474.3        | 10.2       | 0.025        |
|                 | 149.6                  | 156.4        | 6.8        | 0.44        | 490.7        | 513.0        | 22.3       | 0.013        |

| HOLE ID                                 | FROM                          | TO       | INTERCEPT | Au     | FROM   | TO     | INTERCEPT | Au       |
|---|-------------------------------|----------|-----------|--------|--------|--------|-----------|----------|
|   | (metres)                      | (metres) | (metres)  | (g/t)  | (feet) | (feet) | (feet)    | (oz/ton) |
| <b>SC11-373</b>                         | 247.8                         | 248.8    | 1.0       | 13.63  | 812.8  | 816.1  | 3.3       | 0.398    |
| <b>SC11-374</b>                         | <i>No significant results</i> |          |           |        |        |        |           |          |
| <b>SC11-375</b>                         | <i>No significant results</i> |          |           |        |        |        |           |          |
| <b>SC11-376</b><br><br><i>including</i> | 24.4                          | 29.9     | 5.5       | 0.76   | 80.0   | 98.1   | 18.0      | 0.022    |
|   | 44.5                          | 49.1     | 4.6       | 4.94   | 146.0  | 161.0  | 15.1      | 0.144    |
|   | 44.5                          | 46.0     | 1.5       | 9.90   | 146.0  | 150.9  | 4.9       | 0.289    |
|   | 62.9                          | 65.4     | 2.5       | 2.13   | 206.3  | 214.5  | 8.2       | 0.062    |
|   | 197.5                         | 201.5    | 4.0       | 0.49   | 647.8  | 660.9  | 13.1      | 0.014    |
| <b>SC11-377</b>                         | <i>No significant results</i> |          |           |        |        |        |           |          |
| <b>SC11-378</b>                         | <i>No significant results</i> |          |           |        |        |        |           |          |
| <b>SC11-379</b>                         | 187.0                         | 204.5    | 17.5      | 1.40   | 613.4  | 670.8  | 57.4      | 0.041    |
|   | 208.2                         | 216.8    | 8.6       | 1.41   | 682.9  | 711.1  | 28.2      | 0.041    |
|   | 218.4                         | 221.3    | 2.9       | 0.61   | 716.4  | 725.9  | 9.5       | 0.018    |
| <b>SC11-380</b>                         | 30.0                          | 32.0     | 2.0       | 0.87   | 98.4   | 105.0  | 6.6       | 0.025    |
|   | 48.0                          | 50.6     | 2.6       | 0.68   | 157.4  | 166.0  | 8.5       | 0.020    |
|   | 56.0                          | 58.0     | 2.0       | 2.75   | 183.7  | 190.2  | 6.6       | 0.080    |
|   | 63.4                          | 66.1     | 2.7       | 0.73   | 208.0  | 216.8  | 8.9       | 0.021    |
|   | 90.8                          | 99.5     | 8.7       | 1.06   | 297.8  | 326.4  | 28.5      | 0.031    |
|   | 112.6                         | 114.7    | 2.1       | 0.96   | 369.3  | 376.2  | 6.9       | 0.028    |
|   | 138.5                         | 146.4    | 7.9       | 0.37   | 454.3  | 480.2  | 25.9      | 0.011    |
|   | 148.3                         | 151.8    | 3.5       | 0.64   | 486.4  | 497.9  | 11.5      | 0.019    |
| <b>SC11-381</b>                         | <i>No significant results</i> |          |           |        |        |        |           |          |
| <b>SC11-382</b>                         | 33.3                          | 36.2     | 2.9       | 0.37   | 109.2  | 118.7  | 9.5       | 0.011    |
|   | 37.8                          | 40.0     | 2.2       | 0.94   | 124.0  | 131.2  | 7.2       | 0.027    |
| <b>SC11-383</b>                         | 1.5                           | 8.2      | 6.6       | 0.64   | 4.92   | 26.90  | 21.65     | 0.019    |
|   | 19.8                          | 22.8     | 3.0       | 0.31   | 64.96  | 74.80  | 9.84      | 0.009    |
|   | 37.5                          | 38.8     | 1.3       | 3.36   | 123.03 | 127.30 | 4.27      | 0.098    |
|   | 88.3                          | 93.9     | 5.5       | 0.32   | 289.70 | 308.07 | 18.04     | 0.009    |
|   | 94.5                          | 95.3     | 0.8       | 0.48   | 310.04 | 312.66 | 2.62      | 0.014    |
|   | 101.3                         | 103.1    | 1.8       | 2.44   | 332.35 | 338.25 | 5.91      | 0.071    |
|   | 106.2                         | 107.7    | 1.5       | 0.38   | 348.43 | 353.35 | 4.92      | 0.011    |
| 136.6                                   | 139.6                         | 3.0      | 0.38      | 448.16 | 458.01 | 9.84   | 0.011     |          |
| <b>SC11-384B</b>                        | 14.2                          | 21.4     | 7.2       | 2.47   | 46.6   | 70.2   | 23.6      | 0.072    |
|   | 24.0                          | 30.0     | 6.0       | 0.76   | 78.7   | 98.4   | 19.7      | 0.022    |
|   | 54.9                          | 57.3     | 2.4       | 0.77   | 180.1  | 187.9  | 7.9       | 0.022    |
|   | 71.7                          | 74.4     | 2.7       | 1.60   | 235.2  | 244.0  | 8.9       | 0.047    |
|   | 75.6                          | 79.8     | 4.2       | 0.61   | 248.0  | 261.7  | 13.8      | 0.018    |
|   | 125.9                         | 128.4    | 2.5       | 0.69   | 413.0  | 421.2  | 8.2       | 0.020    |
|   | 165.0                         | 170.9    | 5.8       | 1.48   | 541.2  | 560.4  | 19.2      | 0.043    |
| 177.4                                   | 182.3                         | 4.9      | 0.68      | 581.9  | 597.9  | 16.1   | 0.020     |          |
| <b>SC11-385</b>                         | <i>No significant results</i> |          |           |        |        |        |           |          |
| <b>SC11-386</b>                         | 75.9                          | 78.6     | 2.7       | 0.31   | 249.0  | 257.8  | 8.9       | 0.009    |
|   | 83.3                          | 88.1     | 4.8       | 1.00   | 273.2  | 289.0  | 15.7      | 0.029    |
|   | 93.5                          | 108.6    | 15.1      | 0.62   | 306.7  | 356.2  | 49.5      | 0.018    |
|   | 111.5                         | 116.6    | 5.1       | 8.11   | 365.7  | 382.4  | 16.7      | 0.237    |

| HOLE ID          | FROM                          | TO       | INTERCEPT<br>LENGTH | Au    | FROM   | TO     | INTERCEPT<br>LENGTH | Au       |
|------------------|-------------------------------|----------|---------------------|-------|--------|--------|---------------------|----------|
|                  | (metres)                      | (metres) | (metres)            | (g/t) | (feet) | (feet) | (feet)              | (oz/ton) |
| <i>including</i> | 112.9                         | 114.5    | 1.6                 | 22.79 | 370.3  | 375.6  | 5.2                 | 0.665    |
|                  | 131.4                         | 134.3    | 2.9                 | 0.40  | 431.0  | 440.5  | 9.5                 | 0.012    |
|                  | 135.4                         | 141.4    | 6.0                 | 1.22  | 444.1  | 463.8  | 19.7                | 0.036    |
|                  | 162.9                         | 165.6    | 2.7                 | 2.79  | 534.3  | 543.2  | 8.9                 | 0.081    |
| <i>including</i> | 162.9                         | 164.0    | 1.1                 | 5.70  | 534.3  | 537.9  | 3.6                 | 0.166    |
|                  | 171.2                         | 182.3    | 11.1                | 0.67  | 561.5  | 597.9  | 36.4                | 0.020    |
| <b>SC11-387</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-389</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-390</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-391B</b> | 3.1                           | 14.9     | 11.8                | 5.27  | 10.2   | 48.9   | 38.7                | 0.154    |
| <i>including</i> | 3.1                           | 6.1      | 3.0                 | 6.69  | 10.2   | 20.0   | 9.8                 | 0.195    |
| <b>SC11-392</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-393</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-394</b>  | 47.9                          | 54.0     | 6.1                 | 1.42  | 157.1  | 177.1  | 20.0                | 0.041    |
|                  | 93.0                          | 96.1     | 3.1                 | 0.51  | 305.0  | 315.2  | 10.2                | 0.015    |
| <b>SC11-395</b>  | <i>Not sampled</i>            |          |                     |       |        |        |                     |          |
| <b>SC11-396</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-397</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-398</b>  | <i>Not sampled</i>            |          |                     |       |        |        |                     |          |
| <b>SC11-399</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-400</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-401</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-402</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-403</b>  | <i>Not sampled</i>            |          |                     |       |        |        |                     |          |
| <b>SC11-404</b>  | 27.0                          | 30.3     | 3.3                 | 4.15  | 88.6   | 99.4   | 10.8                | 0.121    |
| <i>including</i> | 27.0                          | 28.8     | 1.8                 | 5.07  | 88.6   | 94.5   | 5.9                 | 0.148    |
|                  | 33.0                          | 36.0     | 3.0                 | 1.20  | 108.2  | 118.1  | 9.8                 | 0.035    |
|                  | 64.5                          | 78.8     | 14.3                | 7.97  | 211.6  | 258.5  | 46.9                | 0.233    |
| <i>including</i> | 67.5                          | 75.7     | 8.2                 | 12.54 | 221.4  | 248.3  | 26.9                | 0.366    |
| <i>including</i> | 67.5                          | 68.8     | 1.3                 | 22.51 | 221.4  | 225.7  | 4.3                 | 0.657    |
| <i>including</i> | 74.4                          | 75.7     | 1.3                 | 16.09 | 244.0  | 248.3  | 4.3                 | 0.470    |
| <b>SC11-405</b>  | 28.0                          | 33.0     | 5.0                 | 0.53  | 91.86  | 108.27 | 16.40               | 0.015    |
|                  | 75.4                          | 82.2     | 6.8                 | 0.69  | 247.38 | 269.69 | 22.31               | 0.020    |
| <b>SC11-406</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-407</b>  | 14.5                          | 17.3     | 2.8                 | 0.49  | 47.6   | 56.7   | 9.2                 | 0.014    |
|                  | 19.0                          | 22.0     | 3.0                 | 0.54  | 62.3   | 72.2   | 9.8                 | 0.016    |
|                  | 58.0                          | 60.7     | 2.7                 | 0.45  | 190.2  | 199.1  | 8.9                 | 0.013    |
|                  | 65.3                          | 71.4     | 6.1                 | 1.09  | 214.2  | 234.2  | 20.0                | 0.032    |
|                  | 76.8                          | 79.6     | 2.8                 | 0.47  | 251.9  | 261.1  | 9.2                 | 0.014    |
| <b>SC11-408</b>  | 37.7                          | 41.8     | 4.1                 | 0.78  | 123.7  | 137.1  | 13.4                | 0.023    |
|                  | 50.0                          | 53.0     | 3.0                 | 0.46  | 164.0  | 173.8  | 9.8                 | 0.013    |
|                  | 61.1                          | 64.3     | 3.2                 | 0.42  | 200.4  | 210.9  | 10.5                | 0.012    |
|                  | 139.4                         | 142.3    | 2.9                 | 0.44  | 457.2  | 466.7  | 9.5                 | 0.013    |
| <b>SC11-409</b>  | 15.2                          | 21.0     | 5.8                 | 2.69  | 49.9   | 68.9   | 19.0                | 0.079    |
|                  | 26.7                          | 30.0     | 3.3                 | 3.54  | 87.6   | 98.4   | 10.8                | 0.103    |

| HOLE ID               | FROM                          | TO          | INTERCEPT   | Au            | FROM          | TO            | INTERCEPT    | Au           |
|-----------------------|-------------------------------|-------------|-------------|---------------|---------------|---------------|--------------|--------------|
|                       | (metres)                      | (metres)    | (metres)    | (g/t)         | (feet)        | (feet)        | (feet)       | (oz/ton)     |
| <b>SC11-410</b>       | <i>No significant results</i> |             |             |               |               |               |              |              |
| <b>SC11-411</b>       | <i>No significant results</i> |             |             |               |               |               |              |              |
| <b>SC11-412</b>       | 13.4                          | 14.0        | 0.6         | 21.49         | 44.0          | 45.9          | 2.0          | 0.628        |
|                       | 17.3                          | 21.5        | 4.2         | 1.68          | 56.6          | 70.5          | 13.9         | 0.049        |
| <b>SC11-413</b>       | 16.0                          | 28.0        | 12.0        | 0.60          | 52.5          | 91.8          | 39.4         | 0.018        |
|                       | 45.0                          | 73.6        | 28.6        | 1.24          | 147.6         | 241.4         | 93.8         | 0.036        |
|                       | <i>including</i> 49.5         | <i>51.0</i> | <i>1.5</i>  | <i>7.22</i>   | <i>162.4</i>  | <i>167.3</i>  | <i>4.9</i>   | <i>0.211</i> |
| <b>SC11-414</b>       | <i>No significant results</i> |             |             |               |               |               |              |              |
| <b>SC11-415</b>       | 11.4                          | 17.1        | 5.7         | 0.48          | 37.4          | 56.1          | 18.7         | 0.014        |
|                       | 18.3                          | 21.2        | 2.9         | 0.66          | 60.0          | 69.5          | 9.5          | 0.019        |
|                       | 27.2                          | 30.8        | 3.6         | 0.87          | 89.2          | 101.0         | 11.8         | 0.025        |
|                       | 40.1                          | 85.0        | 44.9        | 2.86          | 131.5         | 278.8         | 147.3        | 0.084        |
|                       | <i>including</i> 50.0         | <i>52.8</i> | <i>2.8</i>  | <i>5.95</i>   | <i>164.0</i>  | <i>173.2</i>  | <i>9.2</i>   | <i>0.174</i> |
|                       | <i>including</i> 61.0         | <i>62.8</i> | <i>1.8</i>  | <i>12.10</i>  | <i>200.1</i>  | <i>206.0</i>  | <i>5.9</i>   | <i>0.353</i> |
|                       | <i>including</i> 70.3         | <i>71.9</i> | <i>1.6</i>  | <i>7.60</i>   | <i>230.6</i>  | <i>235.8</i>  | <i>5.2</i>   | <i>0.222</i> |
|                       | <i>including</i> 73.4         | <i>74.7</i> | <i>1.3</i>  | <i>13.31</i>  | <i>240.8</i>  | <i>245.0</i>  | <i>4.3</i>   | <i>0.389</i> |
| <i>including</i> 76.0 | <i>77.6</i>                   | <i>1.6</i>  | <i>9.80</i> | <i>249.3</i>  | <i>254.5</i>  | <i>5.2</i>    | <i>0.286</i> |              |
| <b>SC11-416</b>       | <i>No significant results</i> |             |             |               |               |               |              |              |
| <b>SC11-417</b>       | 11.7                          | 25.8        | 14.1        | 0.44          | 38.39         | 84.65         | 46.26        | 0.013        |
|                       | 28.0                          | 28.4        | 0.4         | 1.11          | 91.86         | 93.18         | 1.31         | 0.032        |
|                       | 37.3                          | 89.0        | 51.7        | 2.23          | 122.38        | 291.99        | 169.62       | 0.065        |
|                       | <i>including</i> 58.7         | <i>71.2</i> | <i>12.5</i> | <i>3.64</i>   | <i>192.59</i> | <i>233.60</i> | <i>41.01</i> | <i>0.106</i> |
|                       | <i>including</i> 58.7         | <i>60.3</i> | <i>1.6</i>  | <i>10.90</i>  | <i>192.59</i> | <i>197.83</i> | <i>5.25</i>  | <i>0.318</i> |
|                       | <i>including</i> 63.4         | <i>66.5</i> | <i>3.1</i>  | <i>5.60</i>   | <i>207.91</i> | <i>218.14</i> | <i>10.17</i> | <i>0.160</i> |
|                       | <i>including</i> 83.0         | <i>89.0</i> | <i>6.0</i>  | <i>7.92</i>   | <i>272.31</i> | <i>291.99</i> | <i>19.69</i> | <i>0.231</i> |
|                       | <i>including</i> 84.4         | <i>86.0</i> | <i>1.6</i>  | <i>25.10</i>  | <i>276.90</i> | <i>282.15</i> | <i>5.25</i>  | <i>0.732</i> |
| <b>SC11-418</b>       | <i>Not sampled</i>            |             |             |               |               |               |              |              |
| <b>SC11-419</b>       | 8.8                           | 21.0        | 12.2        | 0.93          | 28.87         | 68.90         | 40.03        | 0.027        |
|                       | <i>including</i> 8.8          | <i>10.0</i> | <i>1.2</i>  | <i>5.31</i>   | <i>28.87</i>  | <i>32.81</i>  | <i>3.94</i>  | <i>0.155</i> |
|                       | 30.8                          | 35.5        | 4.7         | 0.38          | 101.05        | 116.47        | 15.42        | 0.011        |
|                       | 38.4                          | 40.0        | 1.6         | 0.49          | 125.98        | 131.23        | 5.25         | 0.014        |
|                       | 48.2                          | 57.0        | 8.8         | 0.68          | 158.14        | 187.01        | 28.87        | 0.020        |
|                       | 60.0                          | 70.0        | 10.0        | 0.53          | 196.85        | 229.66        | 32.81        | 0.015        |
|                       | 72.9                          | 77.0        | 4.2         | 0.62          | 239.17        | 252.62        | 13.78        | 0.018        |
|                       | <i>including</i> 74.4         | <i>74.7</i> | <i>0.3</i>  | <i>4.29</i>   | <i>244.09</i> | <i>245.08</i> | <i>0.98</i>  | <i>0.125</i> |
|                       | 80.0                          | 96.8        | 16.8        | 1.01          | 262.47        | 317.59        | 55.12        | 0.029        |
| <i>including</i> 84.7 | <i>91.9</i>                   | <i>7.3</i>  | <i>1.83</i> | <i>277.89</i> | <i>301.51</i> | <i>23.95</i>  | <i>0.053</i> |              |
| <b>SC11-420</b>       | 7.6                           | 17.4        | 9.8         | 0.45          | 24.93         | 57.09         | 32.15        | 0.013        |
|                       | 74.1                          | 74.4        | 0.3         | 0.73          | 243.11        | 244.09        | 0.98         | 0.021        |
| <b>SC11-421</b>       | 10.9                          | 15.2        | 4.3         | 0.45          | 35.76         | 49.87         | 14.11        | 0.013        |
|                       | 19.3                          | 37.5        | 18.2        | 1.03          | 63.32         | 123.03        | 59.71        | 0.030        |
|                       | <i>including</i> 21.0         | <i>25.3</i> | <i>4.3</i>  | <i>2.94</i>   | <i>68.90</i>  | <i>83.01</i>  | <i>14.11</i> | <i>0.086</i> |
|                       | 39.0                          | 42.0        | 3.0         | 0.30          | 127.95        | 137.80        | 9.84         | 0.009        |
|                       | 42.0                          | 51.0        | 9.0         | 1.64          | 137.80        | 167.32        | 29.53        | 0.048        |
| 51.0                  | 52.4                          | 1.4         | 0.38        | 167.32        | 171.92        | 4.59          | 0.011        |              |

| HOLE ID   | FROM                          | TO       | INTERCEPT | Au     | FROM   | TO     | INTERCEPT | Au       |
|---|-------------------------------|----------|-----------|--------|--------|--------|-----------|----------|
|   | (metres)                      | (metres) | (metres)  | (g/t)  | (feet) | (feet) | (feet)    | (oz/ton) |
| <b>SC11-421</b><br><i>including</i>   | 59.0                          | 65.5     | 6.5       | 1.33   | 193.57 | 214.90 | 21.33     | 0.039    |
|   | 64.4                          | 65.5     | 1.1       | 5.65   | 211.29 | 214.90 | 3.61      | 0.165    |
|   | 69.2                          | 72.6     | 3.4       | 0.70   | 227.03 | 238.19 | 11.15     | 0.020    |
|   | 78.0                          | 81.7     | 3.7       | 1.22   | 255.91 | 268.04 | 12.14     | 0.036    |
|   | 87.0                          | 88.5     | 1.5       | 0.49   | 285.43 | 290.35 | 4.92      | 0.014    |
|   | 108.0                         | 110.4    | 2.4       | 0.44   | 354.33 | 362.20 | 7.87      | 0.013    |
| <b>SC11-422</b><br><i>including</i>   | 18.3                          | 33.2     | 14.9      | 2.45   | 60.04  | 108.92 | 48.88     | 0.072    |
|   | 30.2                          | 33.2     | 3.0       | 6.90   | 99.08  | 108.92 | 9.84      | 0.201    |
| <b>SC11-423</b>   | 34.4                          | 40.5     | 6.1       | 1.07   | 112.86 | 132.87 | 20.01     | 0.031    |
|   | 46.6                          | 49.7     | 3.1       | 0.41   | 152.89 | 163.06 | 10.17     | 0.012    |
| <b>SC11-424</b><br><br><br><br><br><br><br><br><i>including</i><br><i>including</i><br><i>including</i><br><i>including</i> | 2.4                           | 5.7      | 3.2       | 0.33   | 7.87   | 18.70  | 10.50     | 0.010    |
|   | 7.4                           | 13.0     | 5.6       | 0.37   | 24.28  | 42.65  | 18.37     | 0.011    |
|   | 15.5                          | 19.4     | 3.9       | 0.50   | 50.85  | 63.65  | 12.80     | 0.015    |
|   | 25.2                          | 26.9     | 1.7       | 0.54   | 82.68  | 88.25  | 5.58      | 0.016    |
|   | 36.8                          | 38.6     | 1.9       | 0.32   | 120.73 | 126.64 | 6.23      | 0.009    |
|   | 60.0                          | 60.8     | 0.8       | 0.37   | 196.85 | 199.48 | 2.62      | 0.011    |
|   | 64.6                          | 70.0     | 5.4       | 0.39   | 211.94 | 229.66 | 17.72     | 0.011    |
|   | 72.5                          | 100.0    | 27.4      | 8.04   | 237.86 | 328.08 | 89.90     | 0.234    |
|   | 78.5                          | 96.9     | 18.5      | 11.68  | 257.55 | 317.91 | 60.70     | 0.341    |
|   | 85.5                          | 91.5     | 6.0       | 25.47  | 280.51 | 300.20 | 19.69     | 0.743    |
|   | 88.0                          | 89.0     | 1.0       | 72.37  | 288.71 | 291.99 | 3.28      | 2.111    |
| 93.0  | 95.5                          | 2.5      | 16.77     | 305.12 | 313.32 | 8.20   | 0.489     |          |
| <b>SC11-425</b>   | 17.63                         | 20.73    | 3.10      | 2.18   | 57.84  | 68.01  | 10.2      | 0.064    |
|   | 35.97                         | 45.11    | 9.14      | 5.10   | 118.01 | 148.00 | 30.0      | 0.149    |
| <b>SC11-426</b><br><br><br><i>including</i>   | 102                           | 103.75   | 1.75      | 1.52   | 334.64 | 340.38 | 5.7       | 0.044    |
|   | 108                           | 109.43   | 1.43      | 1.08   | 354.33 | 359.02 | 4.7       | 0.032    |
|   | 113.05                        | 117.95   | 4.90      | 1.85   | 370.89 | 386.97 | 16.1      | 0.054    |
|   | 116.65                        | 117.95   | 1.30      | 4.20   | 382.71 | 386.97 | 4.3       | 0.122    |
|   | 146                           | 149      | 3.00      | 2.12   | 479.00 | 488.84 | 9.8       | 0.062    |
| <b>SC11-427</b>   | 30.14                         | 30.6     | 0.46      | 1.29   | 98.88  | 100.39 | 1.5       | 0.037    |
| <b>SC11-428</b>   | <i>No significant results</i> |          |           |        |        |        |           |          |
| <b>SC11-429</b>   | <i>No significant results</i> |          |           |        |        |        |           |          |
| <b>SC11-430</b>   | 102                           | 104.43   | 2.43      | 1.67   | 334.64 | 342.61 | 8.0       | 0.049    |
|   | 110.5                         | 112      | 1.50      | 1.13   | 362.53 | 367.45 | 4.9       | 0.033    |
|   | 119                           | 122      | 3.00      | 1.29   | 390.42 | 400.26 | 9.8       | 0.038    |
|   | 147.50                        | 149.00   | 1.50      | 2.95   | 483.92 | 488.84 | 4.9       | 0.086    |
|   | 156.00                        | 158.24   | 2.24      | 3.50   | 511.80 | 519.15 | 7.3       | 0.102    |
| <b>SC11-431</b>   | 5.33                          | 8.68     | 3.35      | 5.60   | 17.49  | 28.48  | 11.0      | 0.163    |
|   | 125.88                        | 127.41   | 1.53      | 1.42   | 412.99 | 418.01 | 5.0       | 0.042    |
|   | 169.73                        | 170.55   | 0.82      | 2.19   | 556.85 | 559.54 | 2.7       | 0.064    |
| <b>SC11-432</b>   | 60.26                         | 63.09    | 2.83      | 1.72   | 197.70 | 206.99 | 9.3       | 0.050    |
|   | 66.14                         | 67.60    | 1.46      | 1.41   | 216.99 | 221.78 | 4.8       | 0.041    |
| <b>SC11-433</b>   | 25.1                          | 28.35    | 3.25      | 2.31   | 82.35  | 93.01  | 10.7      | 0.067    |
|   | 40.53                         | 43.58    | 3.05      | 5.67   | 132.97 | 142.98 | 10.0      | 0.165    |
| <b>SC11-434</b>   | 46.44                         | 49       | 2.56      | 7.96   | 152.36 | 160.76 | 8.4       | 0.232    |

| HOLE ID          | FROM                          | TO       | INTERCEPT<br>LENGTH | Au    | FROM   | TO     | INTERCEPT<br>LENGTH | Au       |
|------------------|-------------------------------|----------|---------------------|-------|--------|--------|---------------------|----------|
|                  | (metres)                      | (metres) | (metres)            | (g/t) | (feet) | (feet) | (feet)              | (oz/ton) |
|                  | 54.55                         | 55.95    | 1.40                | 2.28  | 178.97 | 183.56 | 4.6                 | 0.067    |
|                  | 87.58                         | 88.07    | 0.49                | 1.91  | 287.33 | 288.94 | 1.6                 | 0.056    |
|                  | 177                           | 178.36   | 1.36                | 1.14  | 580.70 | 585.16 | 4.5                 | 0.033    |
| <b>SC11-435</b>  | 173.43                        | 174.95   | 1.52                | 1.09  | 568.99 | 573.98 | 5.0                 | 0.032    |
|                  | 193.28                        | 194.77   | 1.49                | 2.81  | 634.11 | 639.00 | 4.9                 | 0.082    |
| <b>SC11-436</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-436A</b> | <i>No significant results</i> |          |                     |       |        |        |                     |          |
| <b>SC11-437</b>  | 11.98                         | 13       | 1.02                | 1.17  | 39.30  | 42.65  | 3.3                 | 0.034    |
|                  | 21                            | 21.34    | 0.34                | 3.02  | 68.90  | 70.01  | 1.1                 | 0.088    |
|                  | 39.7                          | 46.66    | 6.96                | 4.34  | 130.25 | 153.08 | 22.8                | 0.127    |
| <i>including</i> | 45.48                         | 46.66    | 1.18                | 19.12 | 149.21 | 153.08 | 3.9                 | 0.558    |
|                  | 59.38                         | 60.96    | 1.58                | 1.02  | 194.81 | 200.00 | 5.2                 | 0.030    |
|                  | 67.77                         | 73.15    | 5.38                | 1.89  | 222.34 | 239.99 | 17.7                | 0.055    |
|                  | 112.54                        | 117      | 4.46                | 14.98 | 369.22 | 383.85 | 14.6                | 0.437    |
| <b>SC11-438</b>  | 1.52                          | 3        | 1.48                | 1.55  | 4.99   | 9.84   | 4.9                 | 0.045    |
|                  | 4                             | 5.25     | 1.25                | 1.07  | 13.12  | 17.22  | 4.1                 | 0.031    |
|                  | 66.57                         | 69.49    | 2.92                | 6.61  | 218.40 | 227.98 | 9.6                 | 0.193    |
| <b>SC11-439</b>  | 31.05                         | 32       | 0.95                | 1.02  | 101.87 | 104.99 | 3.1                 | 0.030    |
|                  | 49.17                         | 50.7     | 1.53                | 2.23  | 161.32 | 166.34 | 5.0                 | 0.065    |
|                  | 54.56                         | 55.1     | 0.54                | 3.66  | 179.00 | 180.77 | 1.8                 | 0.107    |
|                  | 58.46                         | 60       | 1.54                | 4.45  | 191.80 | 196.85 | 5.1                 | 0.130    |
|                  | 125.07                        | 126.57   | 1.50                | 5.22  | 410.33 | 415.25 | 4.9                 | 0.152    |
|                  | 147                           | 148.5    | 1.50                | 21.22 | 482.28 | 487.20 | 4.9                 | 0.619    |
|                  | 190.77                        | 194.89   | 4.12                | 1.94  | 625.88 | 639.40 | 13.5                | 0.057    |
|                  | 197.82                        | 199.22   | 1.40                | 1.22  | 649.01 | 653.60 | 4.6                 | 0.036    |
| <b>SC11-440</b>  | 27.43                         | 30.48    | 3.05                | 1.82  | 89.99  | 100.00 | 10.0                | 0.053    |
|                  | 33.53                         | 37.05    | 3.52                | 6.79  | 110.01 | 121.55 | 11.5                | 0.198    |
| <b>SC11-441</b>  | <i>No significant results</i> |          |                     |       |        |        |                     |          |